





List of power feed contact

| Ref. No | Model | Picture | Description | Application |
|--------------|-------------------------------|---|--|--|
| S001 | 3080316 |  | Conductivity piece B (upper) D=18 x 10 mm Guide unit type 83 | 330W.453W.654W.G3A.G5A |
| S002 | 3080314 |  | Conductivity piece A (lower) D=18 x 14 mm / Cermit Guide unit type 83.84 | EPOC3W.330W.453W.654W.GW3.GW4.GW5. G3A.G5A.GOW5.GOW3 |
| S003S | 3080318 |  | Conductivity piece C (upper) 16 x 10 mm / Silver tungsten Guide unit type 84-AWT | 330W.453W.654W.GOW3.GOW5.GO3.GO5. GW3.GW5.G3A.G5A.EPOC3W |
| S003T | |  | Conductivity piece C (upper) 16 x 10 mm / Cermit Guide unit type 84-AWT | 330W.453W.654W.GOW3.GOW5.GO3.GO5. GW3.GW5.G3A.G5A.EPOC3W |
| S004S | 3080324 |  | Conductivity piece S (upper) 14 x 11 x 12 mm / Silver tungsten Guide unit type 85-3 | AW330. |
| S005LS | 3080307 |  | Conductivity piece D (UT) 12.5 x 14 x 11.7 mm / Silver tungsten Guide unit type 85-2. 85-3 with 3WS / manual | GOW3.GOW5.GO3.GO5.GW3.GW5.AW453.3 WS. BF250/275. series EPOC3W/5W/6W/8W/300 series |
| S005RS | 3080308 |  | Conductivity piece D (DT) 12.5 x 14 x 11.7 mm / Silver tungsten Guide unit type 85-2. 85-3 with 3WS / manual | GOW3.GOW5.GO3.GO5.GW3.GW5.AW453.3 WS. BF250/275. series EPOC3W/5W/6W/8W/300 series |
| S005LT | |  | Conductivity piece D (UT) 12.5 x 14 x 11.7 mm / Cermit Guide unit type 85-2. 85-3 with 3WS / manual | GOW3.GOW5.GO3.GO5.GW3.GW5.AW453.3 WS. BF250/275. series EPOC3W/5W/6W/8W/300 series |
| S005RT | |  | Conductivity piece D (DT) 12.5 x 14 x 11.7 mm / Cermit Guide unit type 85-2. 85-3 with 3WS / manual | GOW3.GOW5.GO3.GO5.GW3.GW5.AW453.3 WS. BF250/275. series EPOC3W/5W/6W/8W/300 series |
| S006S | 3080311 |  | Conductivity piece D (lower) 12.5 x 19 x 11.6 mm / Silver tungsten Guide unit type 85-2. 85-3 | GO3.GO5.GW3.GW5.GOW5.AW330.AW453. EPOC3W/3WS/5W/6W/8W/300 series. BF250/275 series |
| S006T | 3080312 |  | Conductivity piece D (lower) 12.5 x 19 x 11.6 mm / Cermit Guide unit type 85-2. 85-3 | GO3.GO5.GW3.GW5.GOW5.AW330.AW453. EPOC3W/3WS/5W/6W/8W/300 series. BF250/275 series |
| S008S | 3080320 |  | Conductivity piece P U-shape (upper & lower) D=12 x 20.6 mm / Silver tungsten Guide unit type KM-3 | AP150.PGW150 |
| S008T | 3082582 |  | Conductivity piece P U-shape (upper & lower) D=12 x 20.6 mm / Cermit Guide unit type KM-3 | AP150.PGW150 |
| Not delivery | 3080303 |  | Conductivity KM-1 / Flat D=12 x 20.6 mm / Cermit Guide unit type KM-1 | 150W |
| Not delivery | 3081325 |  | Conductivity KM-1 / Flat D=12 x 20.6 mm / Tungsten cabide Guide unit type KM-1 | 150W |
| S009S | 3080301 |  | Conductivity piece P-AWT / U-shape (upper & lower) 10 x 8 x 30 mm / Silver tungsten Guide unit type 86-1 | AW330/453 series. EPOC300/500/600/800 series |
| S009T | 3082580 |  | Conductivity piece P-AWT / U-shape (upper & lower) 10 x 8 x 30 mm / Cermit Guide unit type 86-1 | AW330/453 series. EPOC300/500/600/800 series |
| | 3082579 |  | Conductivity piece P-AWT / U-shape (upper) 10 x 8 x 30 mm / Cermit Guide unit type 86-2 | A350.A500../W../H../WH../S../SS../SSW series AP300/330/450. AW330/453. BF275. EPOC300/500/600/800 series |
| S010 | 3085936 3080972 3084592 |  | Conductivity piece 87-3 (upper & lower) 4.8 x 40 x 20 mm Guide unit type 87-3 | AQ. A. EPOC. AP. BF. JL. PGW. EXC. AF series |
| S010G | |  | Conductivity piece 87-3 (upper & lower) 4.8 x 40 x 20 mm / Special long life type Guide unit type 87-3 | AQ. A. EPOC. AP. BF. JL. PGW. EXC. AF series |





List of wire guide dies



| Ref. No | Model | Picture | Description | Application |
|---------|------------------------------------|---|---|--|
| S100 | 3082983 |  | Diamond split guide AWT D=0.11 mm | AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series AWT type |
| | 3081436 | | Diamond split guide AWT D=0.21 mm | |
| | 3083330 | | Diamond split guide AWT D=0.26 mm | |
| S101 | 3080046 |  | Sapphire split guide AWT D=0.11 mm | AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series AWT type |
| | 3080047 | | Sapphire split guide AWT D=0.21 mm | |
| | 3080048 | | Sapphire split guide AWT D=0.06 mm | |
| | 3080051 | | Sapphire split guide AWT D=0.12 mm | |
| | 3080053 | | Sapphire split guide AWT D=0.16 mm | |
| | 3080055 | | Sapphire split guide AWT D=0.17 mm | |
| | 3080058 | | Sapphire split guide AWT D=0.22 mm | |
| | 3080061 | | Sapphire split guide AWT D=0.27 mm | |
| | 3080063 | | Sapphire split guide AWT D=0.32 mm | |
| | 3080629 | | Sapphire split guide AWT D=0.26 mm | |
| | 3081239 | | Sapphire split guide AWT D=0.07 mm | |
| | 3081567 | | Sapphire split guide AWT D=0.09 mm | |
| | 3081934 | | Sapphire split guide AWT D=0.31 mm | |
| | 3081958 | | Sapphire split guide AWT D=0.05 mm | |
| 3082687 | Sapphire split guide AWT D=0.08 mm | | | |
| 3083122 | Sapphire split guide AWT D=0.04 mm | | | |
| S102 | 3080231 |  | Diamond dies guide D=0.05 mm | 150W / AP150 / BF275 / EPOC300 / AW Manual type Upper & lower Guide unit 83. 84. 85-2. 85-3. KM-1. KM-3 type |
| | 3080232 | | Diamond dies guide D=0.06 mm | |
| | 3080233 | | Diamond dies guide D=0.07 mm | |
| | 3080234 | | Diamond dies guide D=0.09 mm | |
| | 3080235 | | Diamond dies guide D=0.10 mm | |
| | 3080236 | | Diamond dies guide D=0.105 mm | |
| | 3080237 | | Diamond dies guide D=0.11 mm | |
| | 3080238 | | Diamond dies guide D=0.12 mm | |
| | 3080240 | | Diamond dies guide D=0.16 mm | |
| | 3080241 | | Diamond dies guide D=0.17 mm | |
| | 3080243 | | Diamond dies guide D=0.205 mm | |
| | 3080244 | | Diamond dies guide D=0.21 mm | |
| | 3080245 | | Diamond dies guide D=0.22 mm | |
| | 3080247 | | Diamond dies guide D=0.255 mm | |
| | 3080248 | | Diamond dies guide D=0.26 mm | |
| | 3080249 | | Diamond dies guide D=0.27 mm | |
| | 3080250 | | Diamond dies guide D=0.31 mm | |
| | 3080251 | | Diamond dies guide D=0.32 mm | |
| | 3080512 | | Diamond dies guide D=0.155 mm | |
| 3083135 | Diamond dies guide D=0.08 mm | | | |
| 3087704 | Diamond dies guide D=0.305 mm | | | |
| S103 | 3080982 |  | Diamond guide 87-3 type D=0.22 mm | AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series Without AWT option = Upper & lower With AWT option = Lower 87-3 type |
| | 3080990 | | Diamond guide 87-3 type D=0.26 mm | |
| | 3080991 | | Diamond guide 87-3 type D=0.31 mm | |
| | 3080998 | | Diamond guide 87-3 type D=0.11 mm | |
| | 3080999 | | Diamond guide 87-3 type D=0.16 mm | |
| | 3081000 | | Diamond guide 87-3 type D=0.21 mm | |
| | 3081015 | | Diamond guide 87-3 type D=0.12 mm | |
| | 3081016 | | Diamond guide 87-3 type D=0.17 mm | |
| | 3081017 | | Diamond guide 87-3 type D=0.27 mm | |
| | 3081018 | | Diamond guide 87-3 type D=0.32 mm | |
| | 3081424 | | Diamond guide 87-3 type D=0.09 mm upper | |
| | 3081425 | | Diamond guide 87-3 type D=0.08 mm upper | |
| | 3081426 | | Diamond guide 87-3 type D=0.07 mm upper | |
| | 3081427 | | Diamond guide 87-3 type D=0.06 mm upper | |
| | 3081428 | | Diamond guide 87-3 type D=0.05 mm upper | |
| | 3081430 | | Diamond guide 87-3 type D=0.09 mm lower | |
| | 3081431 | | Diamond guide 87-3 type D=0.08 mm lower | |
| | 3081432 | | Diamond guide 87-3 type D=0.07 mm lower | |
| | 3081433 | | Diamond guide 87-3 type D=0.06 mm lower | |
| | 3081434 | | Diamond guide 87-3 type D=0.05 mm lower | |
| 3081475 | Diamond guide 87-3 type D=0.35 mm | | | |

List of water nozzle parts

| Ref. No | Model | Picture | Description | Application |
|---------|--------------|---|--|--|
| S200 | 3081591 |  | Water nozzle 2 Guide unit type 85-2 | AW330/453 series. BF250/275 series POC300/3W/3WS/5W/6W/8W series GW/GOW/GO series |
| S201 | 3081594 |  | Water nozzle NE guide / Upper & lower D=5 mm for SUS assy 84 type | 330W.453W.654W / EPOC3W |
| S202 | 3082085 |  | Rectification nozzles 3WS Upper & lower Manual Guide unit type 85-2 | AW330.453 / BF275 / EPOC300 |
| S202A | 3080030 |  | Water jacket 3WS assy Upper & lower Manual Guide unit type 85-2 | AW330.453 / BF275 / EPOC300 |
| S202B | 3080593 |  | Adjusting nut 3WS assy Upper & lower Manual Guide unit type 85-2 | AW330.453 / BF275 / EPOC300 |
| S202C | 3080358 |  | Water nozzle 3WS assy D=5 mm Upper & lower Manual Guide unit type 85-2 | AW330.453 / BF275 / EPOC300 |
| S202set | 3080639 |  | Water nozzle 3WS assembly Upper & lower Manual Guide unit type 85-2 | AW330.453 / BF275 / EPOC300 |
| S203S | Special type |  | Nozzle P upper & lower D=10 mm | AP150 KM-3 type |
| S203 | 3082056 |  | Nozzle P / upper & lower D=6 mm Guide unit type KM-3 | AP150 |
| S204 | 3082055 |  | Water nozzle / upper & lower D=5 mm Guide unit type KM-1 | 150W |
| S205 | |  | Water nozzle / upper & lower D=10 mm Guide unit type KM-1 | 150W |
| S206 | |  | Water guide with nose / upper & lower D=5 mm Guide unit type KM-1 | 150W |
| S207 | 3081604 |  | Nozzle C upper / Standard D=6 mm | AQ / A / EPOC / AP / PGW / EXC / BF / JL series 86-2 / 90-1 type with AWT |
| | 3081606 | | Nozzle H2 upper / Standard D=10 mm | |
| | 3081868 | | Nozzle T2 for taper 30Gr. D=12 mm | |
| | 3082997 | | Nozzle G3 upper D=3 mm Without AWT | |
| | 3082998 | | Nozzle G4 upper D=4 mm Without AWT | |
| S207L | 3081682 |  | Long nozzle LN1 upper D=6 x 6.5 mmL | AQ.A.EPOC series. AP200...550 PGW200.EXC100.BF.JL series 86-2 / 90-1 type with AWT |
| | 3081683 |  | Long nozzle LN2 upper D=10 x 6.5 mmL | |
| | 3081684 |  | Long nozzle LN3 upper D=6 x 11.5 mmL | |
| | 3081685 |  | Long nozzle LN4 upper D=10 x 11.5 mmL | |
| S207L | 3081689 |  | Long nozzle LN5 upper D=6 x 16.5 mmL | A / EPOC / AP / PGW / EXC / BF / JL 86-2 / 90-1 type with AWT |
| | 3081690 |  | Long nozzle LN6 upper D=10 x 16.5 mmL | |
| | 3082396 |  | Long nozzle LN7 upper D=6 x 26.5 mmL | |
| | 3082397 |  | Long nozzle LN8 upper D=10 x 26.5 mmL | |

List of connected parts
















| Ref. No | Model | Picture | Description | Application |
|---------|---------|---|---|---|
| S209 | 3081674 |  | Nozzle A D=6 mm | A / EPOC / AP / PGW / EXC / BF / JL 87-3 type OD=29.8 - 16.0 mm L=16.3 mm AWT =lower Manual=upper & lower |
| | 3081675 | | Nozzle H1 D=10 mm | |
| | 3081676 | | Nozzle B D=8 mm | |
| | 3081867 | | Nozzle T1 for taper 30Gr. D=12 mm | |
| | 3082156 | | Nozzle E2 D=2 mm | |
| | 3082207 | | Nozzle E4 D=4 mm | |
| S209-1 | 3086396 |  | Float nozzle S / Lower without O-ring D=6 mm AWT | AP200L.450L 90-3 type O.D=34.8 mm - 12.8 mm L=17.0 mm |
| | 3086742 | | Float nozzle T / Lower without O-ring D=12 mm AWT | |
| | 3086746 | | Float nozzle F / Lower without O-ring D=10 mm AWT | |
| S209W | 3086386 |  | Float nozzle S lower D=6 mm standard without O-ring | AQ. series. AP300...550 series 87-3 type AWT O.D=29.8 mm - 12.8 mm L=17.6 mm |
| | 3086443 | | Float nozzle F lower D=10 mm without O-ring | |
| | 3086486 | | Float nozzle T lower D=12 mm without O-ring | |
| | Special | | Float nozzle S lower D=4 mm without O-ring | |
| S210 | 3082603 |  | Nozzle lower D=12 mm Lehmann type AWT | A280L.....L series |

| | | | | |
|-------------------------|---------|---|---|---|
| S301 | 3080178 |  | Isolator plate upper 90-1 type AWT | |
| S302 | 3082518 |  | Guide block ceramic for compact cylinder (connected with S5013-set) 72 x 50.5 x 20 mmT / Center hole = 13.5 mm | A530D....etc 90-1 type AWT |
| S400 | 3050098 |  | Pulley "E" for belt / SUS / AS-5543 D=25 mm x 24 mm | |
| S400-1 | |  | SUS pulley only for S400 | |
| S400C/2 Not delivery | 3050131 |  | Pulley "E" for belt / Ceramic with 2 mm groove D=25 mm | |
| S400C | 3050105 |  | Pulley "E" for belt / Ceramic with 6 mm groove D=25 mm | BF275 / EPOC series |
| S400C-1 | |  | Ceramic pulley only for S400C | BF275 / EPOC series |
| S400C/F | 3050047 |  | Pulley "E" assembly for belt / Ceramic flat type D=25 mm | EPOC series / AP series |
| S400C/F-1 | |  | Ceramic pulley only for S400C/F | EPOC series / AP series |
| S401 | |  | SS626LLB Bearing for pulley | 16 x 18 |
| S405 | |  | Roller upper for wire belt | AP200 |
| S406 | 3086387 |  | Nozzle base upper for S209W | AQ.A series AP300...550 series |
| S406-1 | 3086221 |  | Spring ring lower for float nozzle | AQ series AP300...550 series |
| S407 | 3082668 |  | Nozzle base for S209 Lower for AWF / Upper & lower for manual type | AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 87-3 type |
| S407-1 | 3082669 |  | Nozzle base for S209 Lower for manual type | AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 87-3 type |

List of connected parts

| Ref. No | Model | Picture | Description | Application |
|---------|-------------------------------|---|--|---|
| S408 | 3082804 |  | Nozzle base upper for S207 | AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 90-1 type |
| S409 | 3082629 |  | Nozzle baser lower | A320L. 530L.325L series |
| S411 | |  | Urethane roller upper OD100 x ID12 x 20 mmH | A500. A-series AP330.AP150.A350 |
| S410 | |  | Urethane roller upper OD100 x ID10 x 20 mmH | A500. A-series. AP330.AP150.A350 |
| S412 | |  | Urethane roller upper OD100 x ID10 x 20 mmH | AP.Epoc series |
| S412EP | |  | Urethane roller with groove | Epoc series |
| S413 | |  | Urethane roller upper OD100 x ID7.0 x 20 mmT | BF275 |
| S414 | 3052991 |  | Ceramic feed roller "B" OD70 x ID15 mm | A500W.A320D.A530D |
| S414A | 3052147 |  | Ceramic feed roller "B" OD70 x ID12 mm / Instead of SUS | A500W-Old type |
| S415 | 3052992 |  | Ceramic feed roller "C" OD70 x ID24 mm | A500W.A320D.A530D |
| S415A | 3052149 |  | Ceramic feed roller "C" OD70 x ID22 mm / Instead of SUS | A500W-Old type |
| S416 | |  | Tension urethane roller upper OD100 x ID12 x 20 mmH 2 x M5 | A350W.A500W series |
| S416-1 | | | New Nr. S418 Urethane roller for for light weight type | |
| S417 | 3053703 3054678 |  | Tension urethane roller upper OD100 x ID19 x 20 mmH 2 x M5 | AQ325L.535L....AQseries AP200 |
| S418 | 3051534 |  | Urethan roller for light weight type OD100 x 12 x 20 mmH | A320.A530 |
| S500 | 3080748 3080035 3080689 |  | Cutter upper for AWT / Tungsten cabide material | |
| S500 | 3084628 |  | Cutter upper for AWT / Cermit material | W400135D |
| S600 | 3080375 |  | AWT pipe upper D=2.0-1.0 mm L=285 mmL | A500.A530D.A325.EXC100.AP200L. AP450L 85AWT |
| S600-1 | 3080374 3082269 |  | AWT pipe upper D=2.0-0.7 mm L=285 mmL | A500.A530D.A325.EXC100.AP200L. AP450L 85AWT |
| S600-2 | 3083256 3080069 |  | AWT pipe upper D=2.0-0.5 mm L=285 mmL | A500.A530D.A325.EXC100.AP200L. AP450L 85AWT |
| S601 | 3083123 3080297 |  | AWT pipe upper D=2.0-1.0-0.3 mm | AP200L .450L 85 AWT fine wire |




List of connected parts

| Ref. No | Model | Picture | Description | Application |
|---------|---------------------|---|---|---------------------------|
| S602 | 3082452 |  | AWT pipe upper D=2.0-1.0 mm L=152 mmL | A300.A320.BF275 |
| S603 | 3085966 |  | AWT pipe upper D=2.0-1.0 mm L=275 mmL | AQ600L.AQ550L 97AWT |
| S603-1 | 3085967 |  | AWT pipe upper D=2.0-0.7 mm L=275 mmL | AQ600L.AQ550L 97AWT |
| S700 | 3080711 |  | AWT slide belt L=335 mm | A350.A600W 85AWT |
| S701 | 3082451 |  | AWT slide belt L=195 mm | A325.A300.A320.BF275 |
| S702 | 3081706 |  | AWT slide belt L=385 mm | A750.A500H.A350H 97AWT |
| S703 | 3080696 | | Spring for AWT slide belt | All type |
| S800 | 4130966 |  | Discharge cable L=80 mm | |
| S801 | 4130799 |  | Discharge cable L=900 mm | |
| S802 | 4130894 |  | Discharge cable L=1100 mm | |
| S803 | 4133356 |  | Discharge cable L=1200 mm | |
| S804 | 4130848 |  | Discharge cable L=1500 mm | |
| S5010 | 3052148 | | Shaft bevel gear type for Roller B | A350.A500 |
| S5013 | 3081247 Assembly |  | Conductivity block F (S5013-1) assembly with flanges Upper & lower | A series |
| S5013-1 | | | Conductivity block F | EPOC series |
| S5014 | 3082120 |  | Die block upper | A300.A320.A530 Manual |
| S5017 | 3082520 | | Flange upper | A series AWT |
| S5018 | 3082119 |  | Flange upper | A series Manual |
| S5021 | 3083114 |  | Flange lower | A series AWT |
| S5022 | 3083114 | | Flange lower | A series Manual |



List of connected parts

| Ref. No | Model | Picture | Description | Application |
|---------|---------|---|--|---------------------------|
| S5023 | 3081035 | | Electric pin | |
| S5026 | |  | Aspirator block | A280/300/320 |
| S5027 | 3081247 |  | Aspirator block | A530 |
| S5028 | |  | Aspirator nozzle A / Plastic material | A280.A300.A320.A530 |
| S5029 | |  | Aspirator nozzle B / Plastic material | A280.A300.A320.A530 |
| S5030 | |  | Aspirator nozzle C / Plastic material | A530 |
| S5031 | |  | Pulley B (S5032) assembly set | A530D.325D. A-series |
| S5032 | 3051799 |  | Pulley B ceramic for lower block D=68 mm | A530D.325D. A-series |
| S5040 | 3050812 |  | Ceramic pulley E-set assembly D=32 mm | BF275 (AS5614) |
| S5041 | 3052167 | | Ceramic pulley E-set assembly with groove D=40 mm | EPOC1100 (AS5629A) |
| S5065 | 3030250 | | Bellows X | A500 |
| S5050 | 3050193 |  | Roller C D=50 x 40mm | EPOC600/800 |
| S5041-1 | 3051355 | | Ceramic pulley "E" D=40 without groove | EPOC1100 (AS5629A) |
| S5058 | 3051945 | | Pipe | A500 |
| S5059 | 3051947 | | Pipe | A350 |
| S5047 | 3052147 | | Roller B | A series |
| S5062 | 3052361 | | Pipe | A750 |
| S5087 | 3080795 | | Air - hydraulic unit | For AWT type |
| S5008 | 3080978 | | Insulation block lower | BF275. EPOC500/600/800 |
| S5010 | 3080980 | | Insulation block upper ceramic L=50 x 77 x 24 mmT | BF275. EPOC500/600/800 |
| S5089 | 3081039 | | Gauge ring | |





List of connected parts

| Ref. No | Model | Picture | Description | Application |
|---------|---------|---|------------------------------------|-------------------------------|
| S5009 | 3081297 | | Insulation block lower | EPOC1100. AP450/330 series |
| S5088 | 3082061 | | Conductivity piece adjusting gauge | |
| S5048 | |  | Feed roller D=50 x 24 mm | BF275. A320.A350 |
| S5053 | |  | Roller C with SUS bearing assembly | A300.A320.A530 |
| S5057 | | | Pipe | A300.A320 |
| S5060 | | | Pipe | A530 |
| S5061 | | | Pipe | A600 |
| S5063 | | | | A320 |
| S5064 | | | | A530 |
| S5086 | | | Alinement block | Manual type |
| | 3052771 | | Same as S414 | |
| | 3052772 | | Same as S415 | |
| | 3080069 | | Same as S600-2 | |
| | 3080296 | | Same as S602 | |
| | 3080297 | | Same as S601 | AP200 for fine lines |
| | 3080689 | | Same as S500 | |
| | 3080748 | | Same as S500 | |
| | 3080972 | | Same as S010 | |
| | 3082269 | | Same as S600-1 | |
| | 3084592 | | Same as S010 | |
| | |  | Guide driver | |

List of Belt

| Ref. No | Model | Picture | Description | Application |
|---------|---------|---|--------------|---|
| | |     | | |
| S501 | 3050123 | | 18 x 465 mm | Front wire conveyer belt (B type) 330W /A-set |
| S502 | 3050117 | | 18 x 2600 mm | |
| S503 | 3050120 | | 18 x 3155 mm | |
| S504 | 3050123 | | 18 x 465 mm | Front wire conveyer belt (B type) AW330.AP300 /B-set |
| S505 | 2040061 | | 18 x 2680 mm | |
| S506 | 2040068 | | 18 x 3235 mm | |
| S507 | 3050125 | | 42 x 1590 mm | Wire conveyer belt (C type) 330W.AW330.AP300 /AB-set |
| S508 | 3050126 | | 42 x 1665 mm | |
| S509 | 3050123 | | 18 x 465 mm | Front wire conveyer belt (B type) 453W /A-set |
| S510 | 3050118 | | 18 x 2700 mm | |
| S511 | 3050121 | | 18 x 3255 mm | |
| S512 | 3050127 | | 42 x 1915 mm | Wire conveyer belt (C type) 453W /A-set |
| S513 | 3050128 | | 42 x 2010 mm | |
| S514 | 3050123 | | 18 x 465 mm | Front wire conveyer belt (B type) AW453 /B-set |
| S515 | 2040062 | | 18 x 2780 mm | |
| S516 | 2040069 | | 18 x 3335 mm | |
| S517 | 2040076 | | 42 x 1945 mm | Wire conveyer belt (C type) AW453 /B-set |
| S518 | 2040077 | | 42 x 2040 mm | |
| S519 | 2050115 | | 18 x 1340 mm | Wire conveyer belt (B type) 654W /A-set |
| S520 | 2050119 | | 18 x 2960 mm | |
| S521 | 2040074 | | 18 x 3840 mm | |
| S522 | 2040048 | | 18 x 1350 mm | Wire conveyer belt (B type) 654W /B-set |
| S523 | 2040066 | | 18 x 3034 mm | |
| S524 | 2040075 | | 18 x 3950 mm | |
| S525 | 2040774 | | 18 x 3045 mm | Wire conveyer belt (A1 type) AP200 /A-set |
| S526 | 2040773 | | 18 x 3085 mm | |
| S527 | 2040814 | | 18 x 3434 mm | Wire conveyer belt (A1 type) AP200 /B-set |
| S528 | 2040813 | | 18 x 3475 mm | |
| S529 | 2040996 | | 18 x 3670 mm | Wire conveyer belt (A1 type) AP200.PGW200 /C-set |
| S530 | 2040995 | | 18 x 3715 mm | |
| S531 | 2040610 | | 18 x 3895 mm | Wire conveyer belt (A1 type) AP330.AP450 /B-set |
| S532 | 2040611 | | 18 x 3970 mm | |
| S533 | 2040779 | | 18 x 3870 mm | Wire conveyer belt (A1 type) AP330.AP450 /C-set |
| S534 | 2040817 | | 18 x 3820 mm | |
| S535 | 2040497 | | 18 x 1705 mm | Wire conveyer belt (A2 type) EPOC3WS.EPOC300 /A-set |
| S536 | 2040053 | | 18 x 1740 mm | |
| S537 | 2040138 | | 18 x 1690 mm | Wire conveyer belt (A2 type) EPOC300 /B-set |
| S538 | 2040139 | | 18 x 1785 mm | |
| S539 | 2040049 | | 18 x 1595 mm | Wire conveyer belt (A2 type) EPOC500 /A-set |
| S540 | 2040050 | | 18 x 1630 mm | |
| S541 | 2040140 | | 18 x 1580 mm | Wire conveyer belt (A2 type) EPOC500 /B-set |
| S542 | 2040141 | | 18 x 1675 mm | |
| S543 | 2040055 | | 18 x 1795 mm | Wire conveyer belt (A2 type) EPOC600 /A-set |
| S544 | 2040056 | | 18 x 1830 mm | |
| S545 | 2040142 | | 18 x 1780 mm | Wire conveyer belt (A2 type) EPOC600 /B-set |
| S546 | 2040143 | | 18 x 1875 mm | |

List of Belt

| Ref. No | Model | Picture | Description | Application | |
|---------|---------|--|--------------|--|--|
| | |     | | | |
| S547 | 2040058 | | 18 x 1985 mm | Wire conveyer belt (A2 type) EPOC800 /A-set | |
| S548 | 2040059 | | 18 x 2020 mm | | |
| S549 | 2040144 | | 18 x 1970 mm | Wire conveyer belt (A2 type) EPOC800 /B-set | |
| S550 | 2040145 | | 18 x 2065 mm | | |
| S551 | 2040536 | | 18 x 2360 mm | Wire conveyer belt (A2 type) EPOC1100.AP1100 | |
| S552 | 2040634 | | 18 x 2520 mm | | |
| S553 | 2040534 | | 18 x 1370 mm | Wire conveyer belt (A2 type) BF275AWT /A-set | |
| S554 | 2040535 | | 18 x 1390 mm | | |
| S555 | 2041088 | | 18 x 1890 mm | Conveyer belt (A1 type) EXC100.EXC100S 2 PCs/set | |
| | | | | <p>* A1 type : both side rubber type (18 mmW) * A2 type : one side rubber type (18 mmW) * B type : SG belt type (18 mmW) * C type : SG belt type (42 mmW)</p> | |